



BRAKE, TIRE AND WHEEL SOLUTIONS

USA: 888.YES.KENT (888.937.5368) | Canada: 800.563.1717
 kent-automotive.com

Tire Pressure Monitoring System (TPMS) Service Kits


99% Coverage of Vehicles in the Market with just 6 Kits

TPMS systems sensors fail over time for a variety of reasons such as corrosion, rock impacts, collision, or road grit. When your customer's tire pressure monitoring system needs to be serviced, you can count on Kent Automotive for professional solutions.

TPMS Total Service Kit

Kit Includes:

- (1) – AVT41 TPMS Wireless Hand Held Tool (1635723)
- (20) – Silver Fixed-Angle TPMS Valve (1635721)
- (24) – RS+ Sensor with Rubber Snap-In TPMS Valve (1635719)
- (1) – 9-Drawer Cabinet with 18 Dividers - Orange (KA9)
- (20) – U1 Universal Metal Valve TPMS Service Kit (1583638)
- (20) – U2 Universal Rubber Snap-In TPMS Service (1583639)
- (20) – H02 Metal Components Kit (1583640)
- (20) – S12 Rubber Snap-In Service Kit (1583641)
- (20) – C11 Rubber Snap-In Service Kit (1583642)
- (20) – O02 Rubber Snap-In Service Kit (1583643)



Item No.	Pkg. Qty.
1635752	1

TPMS Starter Kit

Kit Includes:

- (1) – AVT41 TPMS Wireless Handle Held Tool (1635723)
- (24) – RS+ Sensor with Rubber Snap-In TPMS Valve (1635719)
- (20) – Silver Fixed-Angle TPMS Valve (1635721*)

Item No.	Pkg. Qty.
1635751	1



For make/model/year information use the TPMS Service Kit Application Guide found on kent-automotive.com

TPMS Sensors and Programming Tools

Universal TPMS Sensor and Replacement Valve

- 99.7% coverage and 100% OE mimic functionality
- Frequency Range: 315MHz and 433 MHz
- Programmable and cloneable

*Replacement valve only.



Description	Item No.	Pkg. Qty.
RS+ Sensor with Rubber Snap-In TPMS Valve	1635718	1
RS+ Sensor with Rubber Snap-In TPMS Valve	1635719	12
Silver Fixed-Angle Metal TPMS Valve	1635720*	1
Silver Fixed-Angle Metal TPMS Valve	1635721*	20

AVT41 - TPMS Wireless Tool

This wireless programming and diagnostic tool supports your workflow with wireless activation, cloning, programming and ECU resets for Sens.it RS+ TPMS Sensors.

Item No.	Pkg. Qty.
1635723	1



TPMS Programming Pad

This USB computer programming pad supports your workflow with activation, cloning, and programming for Sens.it and Sens.it RS+ TPMS Sensors.

Item No.	Pkg. Qty.
1635724	1



Tire Pressure Monitoring System (TPMS) Service Kits

Kent Automotive has streamlined their offering. The TPMS complete assortment with two universal and four original equipment service kits (below) provides 99% market coverage and keeps you organized.



Get Started Using Kent Automotive TPMS Service Kits Today

Option 1 – Individual Kits

Universal Service Kits

U1 Kit For metal valve stems	U2 Kit For rubber valve stems
Single service kits that works for 97% of metal valve stem TPMS sensors in the market Item No. 1583638	Single service kit that works for 75% of the rubber snap-in valve stem TPMS sensors in the market Item No. 1583639

OE Replacement Kits

H02 Kit	S12 Kit
Item No. 1583640	Item No. 1583641
C11 Kit	O02 Kit
Item No. 1583642	Item No. 1583643

Option 2 – TPMS Kit Assortment

TPMS Service Kit Assortment

99% market coverage, with all items, 120 pieces, in an organized drawer (KA9)

Includes all of the items above.

Assortment No. CT4000



Essential Tools

Premium TPMS Tool Set 13 Pieces

Contents:

- Rubber seal removal tool and fixation tool
- Three preset torque screwdrivers
- Two adjustable torque wrenches with sockets and bits
- Hard shell padded carry case
- Color-coded tools are preset to help eliminate mistakes

Item No.	Pkg. Qty.
1583644	1



Tire Maintenance Tools and Accessories

M12 FUEL Low Speed Tire Buffer Starter Kit

Includes:

- (1) M12 FUEL™ Low Speed Tire Buffer Kit
- (1) 1/8" Quick Change Adapter W/Set Screw
- (1) 1/4" Quick Change Adapter W/Set Screw
- (1) 5/16" Quick Change Adapter W/Set Screw
- (1) 1/8"x2" Tire Router 1"LOC
- (1) 3/16"x3-1/2" Tire Router
- (1) 1-1/8"LOC 1/4"x3-1/4" Tire Router 2"LOC
- (1) 5/16"x4-1/2" Tire Router 2"LOC
- (1) Tire Repair Light Duty Carbide Buffering Wheel
- (1) Hex Key, Fractional, Long Arm, 5/64"



Item No.	Pkg. Qty.
1635717	1

M12 FUEL Low Speed Tire Buffer Kit

Includes:

- (1) M12 FUEL™ Low Speed Tire Buffer
- (1) M12™ REDLITHIUM™ CP2.0 Battery
- (1) M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack
- (1) M12™ Lithium-ion Battery Charger
- (1) Quick Change Adapter
- (1) Carrying Case



Item No.	Pkg. Qty.
1635715	1

M12 FUEL Bare Tool Low Speed Tire Buffer

- Dedicated buffing and drilling 2-Mode Drive Control™
- Drilling Mode: 1,200 RPM
- Buffing Mode: 2,500 RPM
- LED light to illuminate the work area
- Quick change collet for fast and easy change of buffing wheel or carbide cutter

Includes:


- (1) M12 FUEL™ Low Speed Tire Buffer
- (1) Quick Change Adapter



Item No.	Pkg. Qty.
1635716	1

Tire Repair Cutters

Carbide Cutters for Tire Repair



Carbide cutters are used to drill, prep, and smooth the injury location on the tire, while providing the correct size to properly patch the hole.

- Centring carbide router system allows for full control on convex surfaces
- Cone shaped endpoint allows for the pierced hole to be enlarged to stem size
- Specially designed flute geometry enables the effective grinding of rubber and steel belt sections of tires
- Long reach and tapered shanks for ease of use



Cutting Dia. (Inches)	Overall Length (Inches)	Length of Cut (Inches)	Shank Dia. (Inches)	Quick Change Adapter Item No.	Item No.	Pkg. Qty.
1/8	2	1	1/8	1635711	1635535	1
3/16	3-1/2	1-1/8	1/4	1635712	1635536	1
1/4	3-1/4	2	1/4	1635712	1635537	1
5/16	4-1/2	2	5/16	1635713	1635538	1
3/8	4-1/2	2-1/2	3/8	1635714	1635539	1

Optimize tire repair time with Quick Change Adapters, sold separately.

Not using the correct size or tool can lead to a leak and failed tire repair.

Light Duty Carbide Buffering Wheel – 2-1/2"

- 60 grit, 3/8" (9.5mm) arbor hole
- Maximum recommended operating speed: 25,000 RPM
- Use to secure a finely-grained bonding surface and to remove loose steel cords
- Use Rubber Prep Buffering Solution (98095 or 82537) to remove dust



Item No.	Pkg. Qty.
P85168	1

Tire Repair Patches

Wrapped Stem Combination Tire Patches

- For use on radial and bias ply tires
- Designed for chemical or heat vulcanization
- Patch has gray vulcanizing gum with blue poly backing
- Stem portion is wrapped with gray vulcanizing gum
- No special insert tools required




Injury Dia. (Inches)	Patch Dia. (Inches)	Item No.	Pkg. Qty.
3/16	1-5/8	1425823	24
1/4	2-1/8	1425824	24
5/16	2-1/8	1425825	24

On-the-Wheel Repair String

- For sidewall and tread repairs on tubeless bias and belted bias tires

NOTE: Use Chemical Vulcanizing Cement, No. 82538 with these products.



Description	Size	Item No.	Pkg. Qty.
Fat Repair String	4"L	94919	50
Narrow Repair String	7-1/4"L	94920	50

Universal Quilled Combination Patch/Plug Repair

- Multi-directional – can be applied to any repairable area of radial or bias-ply tires (tread, shoulder or sidewall)
- Self-vulcanizing
- Metal quill for easy installation



Description	Size	Stem Dia.	Item No.	Pkg. Qty.
Small Round Stem Patch for 1/8" Puncture	1-3/4 (42mm)	3/16 (5 mm)	P85159	20
Medium Round Stem Patch for 3/16" Puncture	1-7/8 (48mm)	1/4 (6 mm)	P85160	20
Large Round Stem Patch for 7/32" Puncture	2-1/4 (57mm)	5/16 (8 mm)	P85161	15

Lead Wire Inserts

- Vulcanize chemically or in heat-curing system – becomes permanent part of the tire
- No special tools for installation
- Designed to fill the injury in passenger or truck, radial or bias-ply tires



Size	Item No.	Pkg. Qty.
1/4 (6mm)	P85162	20
3/8 (10mm)	P85163	20

Euro-Style Universal Tire Patches

- Heavy-duty nail hole repair
- Easy to install
- Molded style repair unit with premium blue vulcanizing gum
- Will repair a maximum injury of 1/4" when following industry recommended repair procedures
- Designed for chemical or heat vulcanization
- For use on radial or bias-ply passenger tires



NOTE: Use Chemical Vulcanizing Cement, No. 82538, with these products.

Size	Item No.	Pkg. Qty.
1-1/2 (38mm)	P85151	30
2 (50mm)	P85152	25
2-3/8 (60mm)	P85153	10
2-3/4 (70mm)	P85154	10
1-3/4 x 3 (45mm x 76mm)	P85155	10

Bias-Ply Chemical-Cure Tire Patches

- Fine feather edge eliminates chaffing
- 100% vulcanization
- For hot and cold repairs
- Use on tube and tubeless bias-ply tires




NOTE: Use Chemical Vulcanizing Cement, No. 82538, with these products.

Size	Item No.	Pkg. Qty.
3 (76mm)	P85156	20
4-1/2 (114mm)	P85157	10
5-1/2 (140mm)	P85158	10

Reinforced Tire Patches

- Polyester cord reinforced
- Designed for greater flexibility
- Self-vulcanizing with road heat
- Permanent repair
- Use on tube and tubeless bias-ply tire
- Use on tube and tubeless bias-ply tire
- Round shape
- Pkg. Qty. 10



Dia. (Inches)	Max. Injury (Inches)	No. of Plies	Item No.
2-1/4	1/8	1	94912
3-5/8	1/2	2	94913

Tire Repair Tools

Pistol Grip Tire Probes

- Easy-to-grip handle for better user control



Description	Item No.	Pkg. Qty.
Spiral point	29047	1
Open-Eye	29048	1
Heavy-Duty Open-Eye	29051	1

T-Handle Tire Probe

- Super grip handle for easy insertion
- Use to locate direction of injury, clean the injury and apply cement



Item No.	Pkg. Qty.
97645	1

All-Steel T-Handle Open-Eye Needle

- Two-piece, all-steel construction
- Includes hex key to replace needle shaft
- Use in heavy-duty applications, including truck tires



Item No.	Pkg. Qty.
60818	1

Item No. 60819 Replacement Needle Shaft for 60818 (Pack of 1)

Hoe Style Inner Liner Scraper

- Use with Rubber Prep Buffing Solution (98095 and 82537)



Item No.	Pkg. Qty.
P85167	1

Tire Rasp with Screwdriver Handle

- Easy-to-use screwdriver handle
- Use to clean out hole/injury before repairing



Item No.	Pkg. Qty.
P85165	1

Euro-Paste Application Brush

- For use when applying Euro-Paste Mounting Compound (KT14127)

Item No.	Pkg. Qty.
P85169	1



Sidewall Tire Brush, Brass

- 1-5/8" x 7" handle
- 6 x 9 rows

Item No.	Pkg. Qty.
P85164	1



Lawson Tire Patch Ball Bearing Roller Stitcher

- Use for all types of tire repair
- Use after patch is firmly cemented to injury
- Press down on patch and work from center out



Item No.	Pkg. Qty.
83789	1

Tire and Rubber Crayons

Ideal for temporary marking of rubber surfaces such as tires, hose and gasketing materials. Safer formula contains zero VOCs and is ideal for marking tire wounds in preparation for patching and repairs.

- Excellent adhesion properties



Color	Item No.	Pkg. Qty.
Yellow	1557549	6
White	1557550	6



Find more **Brake, Wheel and Tire** products like these at kent-automotive.com

Tire Repair Chemicals

Euro-Paste Mounting Compound

- Available in Kit No. KL196: Contains two tubs Euro-Paste Mounting Compound (KT14127), and one Euro-Paste Application Brush (P85169)
- Prevents bonding of tire to rim
- Silicone free
- 11 lb. (5kg) tub
- Excellent for low profile tires
- Ideal for BMW



Container Type	Size (Lb.)	Item No.	Pkg. Qty.
Tub	11	KT14127	1
Kit	-	KL196	1

Rubber Prep Buffing Solution

- Prebuffing solution thoroughly cleans grease, oil, dirt, silicone and soapstone from tire liner or tube
- Just spray and wipe



Container Type	Size	Item No.	Pkg. Qty.
Quart	1 Quart	98095	1
Aerosol	16 Oz.	82537	1

Chemical Vulcanizing Cement

- Chemically vulcanizes the tire repair throughout the injury, creating a permanent repair



Container Type	Size (Oz.)	Item No.	Pkg. Qty.
Brush Top Can	8	82538	1

Inner Liner Sealer

- For sealing the over-buff area around a finished repair



Container Type	Size (Oz.)	Item No.	Pkg. Qty.
Brush Top Can	16	1417734	1

Bead Sealer

- Creates positive seal between rim and tire
- Prevents air seepage
- Extra-thick formula



Container Type	Size	Item No.	Pkg. Qty.
Brush Top Can	1 Quart	98094	1

Tire Bead Lube – Ready to Use

- Use with Rubber Prep Buffing Solution (98095 and 82537)



Container Type	Size (Gal.)	Item No.	Pkg. Qty.
Bottle	1	P85170	1

Heavy-Duty Vulcanizing Cement

- Blue color
- Use with Center-Over-Injury Radial Patches and with tubeless bias-ply tires if heavy-duty cement is indicated



Container Type	Size (Oz.)	Item No.	Pkg. Qty.
Brush Top Can	8	98096	1

Tire Bead Lube Concentrate

- Mix with water to make plenty of tire bead lube
- For high-volume users



Container Type	Size (Oz.)	Item No.	Pkg. Qty.
Bag	13	29053	1

Brake Lathe Bits

Supertanium® Brake Lathe Bits

Special alloy steel plus unique design consistently produces smooth and true surfaces on brake drums and rotors.

Description	Application	Item No.	Pkg. Qty.
 Ammco	Fits Ammco Models 1000, 1001, 3000, 4000, 4100, 6900, 7000, 7700, 8700, 8750 on car Models 700, 705 and 710. Hunter BL500 Disc/Drum Lathe, BL505 negative rake. Fits miscellaneous other models. Rels 2000 – Drums only. Performance Bit Nos. 3334, 3336, 3340 and 3354. Models 66, 6600, 7100, 7200, 7600 and 7850. Accu-Turn Bit Nos. 878051, 878052 on car Models 8700 and 8750. Replaces Ammco No. 9629 or 6914	P40315	10
 Ammco	Fits Ammco Models 2002, 3000, 3850, 4000, 4100, 7000 and 7700, positive rake, each bit has three cutting edges. All Tool Model 777, positive rake, Hunter BL505 positive rake. Performance Bit No. 8711. Models 66, 6600, 7100, 7200 and 7600. Replaces Ammco No. 7681	P46916	10
 Ammco	Ammco Type Positive Rake Black Coated Carbide Bit. For use on Models 3850, 4000, 7000 and 7500. Works on 6900 and 6950 Twin Cutter and 9381 Facing and Grinding Set. Cutting Edges: Three Replaces Ammco Nos. 6918 and 6819	P14042	5
 Accu-Turn	Fits Accu-Turn Combination Disc/Drum Machine, for use with right and left hand toolholders, Models 8911, 8922, 8944, 8989, 8991 and 8993. Each bit has three cutting edges. Rels 2000 – Rotors only. Replaces Accu-Turn Nos. 433-795, 433-796 and 433-797	P63330	5
 All Tool	Fits most All Tool Models. Model 747, 777 negative rake, Hunter BL505 and BL300 negative rake. Replaces All Tool Nos. 3330, 3331	P47466	10
 FMC/John Bean/Barrett	Fits Models 67BSD, 67DLX, 67GSA, 69DLX, 701ECF, 601PF, 29687V, 400, 500, 600 AND 700, positive rake with 0.048" radius. Replaces FMC No. 90327	P47083	10
 FMC	Fits all FMC Machines, for use with right and left hand toolholders, each bit has three cutting edges. Hofmann 400/401 True Cut, Snap-On Bench Model No. EEBR300A. Perfect Equipment Model 400 Truecut Combo Lathe. R.J. West Model 400 Truecut Lathe. Replaces FMC No. 90487	P28861	10
 Kwik-Way	Fits Kwik-Way Machines Model SDL, old Model DL and 850 Disc Brake Attachment, Line-Otronics and Rotunda, each bit has three cutting edges. Snap-On Bit No. BTK 10A, Models YA180 and YA281. Rels Bit No. SW4236-15, Model SW504 Swing Arm Brake Lathe. Replaces Kwik-Way No. 109-1092-23	P28971	10
 Pro-Cut/VBG	Fits Pro-Cut/VBG Toolholder No. 29005, positive rake, each bit has three cutting edges. Models 610, PMF 9.0, PMF 900 and VGB 620. Replaces No. 50-701	P47471	10
 ProCut (Ford)	Ford Pro-Cut Type Positive Rake Carbide Bit for Ford. For use on Models 610 Pro-Cut On-Car Lathes + PMF 9.2 and PMF 900. Cutting Edges: Three Features unique chip breaker design. Replaces No. 50-742	P14039	5
 Van Norman	Fits Van Norman and Rels Disc Lathe Models 204D, 204C, 204S, 205DC and 415; each bit has three cutting edges. Rels Bit No. 29687V. Replaces Van Norman No. 129687	P30376	10
 Universal	Round Positive Rack Carbide Bit. For use on Models Ammco 3000, 4000, 4100, 6900, 7000, 7700 and misc. Snap-On Brake Lathes. Performance/All Tool and Rels Lathes. Cutting Edges: 12 – 18. Used with Toolholder P14045/P14047.	P14043	5

Includes set screw

Carbide Tool Holders for Brake Lathes

- Round left and right hand positive bit holders
- For All Tool, Ammco, Hunter, Performance and Rels lathes
- Use with Round Carbide Bit No. P14043



Description	Item No.	Pkg. Qty.
Left Hand	P14047	1
Right Hand	P14045	1

Brake Drum and Rotor Tool Holders

FMC Disc Brake Lathes and Bear Machines

3/8" Square Shank

- Left hand and right hand – fits FMC
- Each includes Cutting Bit No. P28861
- Disc and Bear Lathes



Description	Item No.	Pkg. Qty.
Left- and Right-Hand	P66228	1

Ammco Model 7000 Disc Rotor Lathe and 3000, 4000 and 4100 Drum Lathes

3/8" Square Shank

- Fits Rels 2000 Lathe
- Combination Disc/Drum Lathe Machines
- Includes Cutting Bit No. P40315




Description	Item No.	Pkg. Qty.
Left Hand	P43365	1
Right Hand	P43356	1

Brake Products

Rotor Silencer Pads

Ammco Type

- Two pads used per machine
- Tough high-friction material with a strong Thermotemp® mount
- Replaces Ammco No. 9183
- For use with any size rotor – especially good for thin, non-ventilated rotors
- Easily snaps on Ammco No. 7075 Disc Silencer




Item No.	Qty.
P29905	2

Drum Silencer

Universal Silencer Type

- Fits any size passenger car drum
- Natural rubber band for long life and excellent elasticity
- Strong plated buckle for a secure fit
- Heavy 1-3/4" wide, 3/16" thick, 72" long band effectively deadens vibrations and chatter
- Replaces Ammco No. 5280




Item No.	Qty.
P29815	1

Disc Silencer and Chip Deflector

Universal Silencer Type

- Works on all disc lathes for vented and non-vented rotors
- Deflects grinding chips away from disc lathe
- Suppresses chatter



Item No.	Qty.
P66325	1

Ventilated Rotor Silencer

Universal Silencer Type

Live-Flex® rubber for long life and superior vibration and chattering suppression.



Description	Item No.	Pkg. Qty.
Ventilated Rotor Silencer	P29900	1
Heavy-Duty Ventilated Rotor Silencer	P66306	1

Rotor Silencer for Solid Rotors

Universal Silencer Type

Live-Flex® rubber for long life and superior vibration and chattering suppression. May be used with all brands of brake machines.

- Narrow belt for solid rotors – does not interfere with cutting bit



Description	Item No.	Pkg. Qty.
Rotor Silencer for Solid Rotors, Small Diameter	P29915	1
Rotor Silencer for Solid Rotors, Large Diameter	P29910	1

Brake Hub Cleaner

Scotch-Brite™ Roloc™ Brake Hub Cleaning System

Brake Hub Cleaning Disc and Holder combine an aggressive 3-D disc construction with a unique center hole Roloc™ attachment system for improved productivity. The system removes rust and corrosion quickly, even in hard-to-reach places. The attachment provides quick disc changes with the convenience of running on high-speed tools. All this adds up to saving time, increasing speed and effectiveness on the brake job.



Description	Item No.	Pkg. Qty.
Cleaning Disc	KT14992	10
Holder	KT14993	1




KT14992

Tire Changing Accessories

Red Nylon Mount/Demount Head

For use with Hunter Models

- For use on Hunter Models TC250, TC300 and TC325
- Replaces Hunter No. 221-675-2 and TMR No. TCR343
- Hardware (washers and nuts) not included



Hunter No.	TMR No.	Item No.	Pkg. Qty.
221-675-2	TCR343	1116130	1

Black Nylon Mount/Demount Head

For use with Accu-Turn and Hunter Models

- For use on Hunter Models TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500
- Replaces Accu-Turn SM102529, Hunter RP6 0343 and TMR TC0343-6
- Requires nylon duckhead adapter



Accu-turn No.	Hunter No.	TMR No.	Item No.	Pkg. Qty.
SM102529	RP6 0343B	TC0343	1593455	1

Nylon Mount/Demount with Round Hole

For use with Coats, Corghi, Hofmann, SICE, Hunter and Guiliano Models

- For use on all All Tool models, Coats RC1, 5, 10, 15, 20 and early 5060, 9010, 9024 and APX 90
- Corghi with rim clamps, all earlier model Hofmann except 1550, 1620, 1625, and SICE M39, S40, S41, S42, S43, S45, S408 MAXI, S435, S436, S436TOP
- Hunter TCX C Series with a RP11-S-400-100 adapter
- Replaces All Tool G2008403, Coats 83008403, Corghi 250390, Hofmann 2200981, Sice 2200981 and TMR TC250309
- Hardware (washers and nuts) not included



All Tool No.	Coats No.	Corghi No.	Guiliano No.	Hofmann No.	Hunter No.	TMR No.	Item No.	Pkg. Qty.
G2008403	83008403	450310	3008403	8314813	RP11-8314813	TC450310	1128216	1

High Grip Jaw Protectors

For use with Hunter TCX500 Series Tire Changers

- Tough polymer jaw protectors prevent metal-on-metal contact when working on an external clamping function (includes 8 jaw protectors)
- Use exclusively on Hunter models TCX575, TCX53L, TCX53, TCX51L, TCX50



Hunter No.	Item No.	Pkg. Qty.
RP11-8-11400085	1405001	1

Leverless Tool Head – Plastic

For use with Hunter Models

- Replaces RP6-710014120
- For use on Model TCA34
- Serial Nos. 664 and above



Hunter No.	Item No.	Pkg. Qty.
RP6-710014120	1410921	1

Rim Protector

For use with Coats Models

- Quilted clamp socks for 50X, 60X and 70X Coatstire changers
- Replaces Coats No. 8183604 and fits all 50X, 60X and 70X Coats Tire Changers except 9010 and 9024E



**Usually ships in 2 to 4 days*

Hunter Protective Sleeve

For use with Hunter 4.5" Cups

- Fits all 4.5 inch cups
- Black rubber ring
- Protects finished wheel surfaces when using a cup to clamp



Hunter No.	Size (Inches)	Item No.	Pkg. Qty.
106-82-2	4.5	1593610	1

Kent's Kwik and EZ Fill System Plus

Recharge Aerosol Containers In Seconds

There are 8 different types of brake cleaner kits to choose from.







Each kit will include:

- Kwik and EZ Fill Machine
- 32 oz. AERO-Miser™ container
- Brake and parts cleaner in a drum
- Transfer labels (pack of 5)

Kwik and EZ
Fill Machine included
with each kit



Choose between the number of drums and VOC level that works best for you

Drums	Aero-Miser™	Transfer Labels	VOC level	Item No.
 <p>1 – Drum (55 gal. ea.)</p>	 <p>4 – Aero-Miser™</p>	 <p>1 pack</p>	100%	1592637
			45%	1592634
			10%	1592632
			0%	1592636
 <p>2 – Drums (55 gal. ea.)</p>	 <p>6 – Aero-Miser™</p>	 <p>2 pack</p>	100%	1592638
			45%	1592639
			10%	1592633
			0%	1592635

Brake Clean

One Shot Plus™ and Brake and Parts Cleaner

Powerful cleaners formulated to easily remove brake fluid, grease, oil, dirt and other contaminants.

Recommended for brake components and moving parts such as adjusters, calipers, cylinders, pads, pistons, rotors, backing plates, drum assemblies, linings, shoes and springs. Ideal for clutch plates, oil pans, valve/cam covers, transmission cases and differential covers.

- Dissolves and lifts contaminants
- Dries completely – leaves no film or residue
- Deep penetration thoroughly cleans pads, shoes, etc.
- Safe for rubber parts
- No CFCs

- Non-chlorinated
- Aerosol features an all-position spray valve that blows dirt off quickly and an extension tube for hard-to-reach areas
- Pails and drums are compatible with the Kent® Kwik and EZ Fill System

Brake and Parts Cleaner – Fast-Drying Formula – 100% VOC

- Fast drying – leaves no residue
- Hexane-free
- Aerosol: 20 oz. can size; 14 oz. net wt.

Container Type	Size	Item No.	Pkg. Qty.
Aerosol	14 Oz.	KT14126	12
Bottle	1 Gal.	KT14664	4
Pail	5 Gal.	KT14665	5 Gal.
Drum	55 Gal.	KT14281	55 Gal.
Drum	110 Gal.	1449189*	1
Drum	55 Gal.	1594113**	55 Gal.
Drum	110 Gal.	1594143**	110 Gal.



*Package contains two 55 gallon drums.

**Drop Ship items. Location restrictions may apply. Not available in Canada.

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



One Shot Plus™ – 75% VOC

- 24 oz. can size; 16 oz. net wt.

Container Type	Size (Oz.)	Item No.	Pkg. Qty.
Aerosol	16	P20100	12

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Brake and Parts Cleaner – 45% VOC

- Fast drying – leaves no residue
- Aerosol: 20 oz. can size; 12 oz. net wt.

Container Type	Size	Item No.	Pkg. Qty.
Aerosol	12 Oz.	KT14372	12
Bottle	1 Gal.	KT14666	4
Pail	5 Gal.	KT14667	5 Gal.
Drum	55 Gal.	KT14282	55 Gal.
Drum	110 Gal.	1449190*	1
Drum	55 Gal.	1614528**	55 Gal.
Drum	110 Gal.	1614537**	110 Gal.

*Package contains two 55 gallon drums.

**Drop Ship item. Location restrictions may apply. Not available in Canada.

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Brake and Parts Cleaner – 10% VOC

- Aerosol: 20 oz. can size; 15 oz. net wt.

Container Type	Size	Item No.	Pkg. Qty.
Aerosol	15 Oz.	KT15104	12
Drum	55 Gal.	KT15105	1
Drum	110 Gal.	1449191*	1

*Package contains two 55 gallon drums.

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Brake and Parts Cleaner – 0% VOC

- 0% VOC formula for a cleaner environment
- Aerosol: 20 oz. can size; 15 oz. net wt.

Container Type	Size	Item No.	Pkg. Qty.
Aerosol	15 Oz.	KT14913	12
Drum	55 Gal.	KT14914	1

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Find SDS documents under Resources on kent-automotive.com

Lubricants

Rusty™ High-Temperature Lubricants

High-quality lubricants for long life metal-to-metal contact in high-heat and high-moisture environments.

- Rusty Brake Plate and Caliper Lubricant is a high-performance, copper-based grease
- Rusty 3000 is an easy-to-use aerosol spray version of Brake Plate Lubricant



Description	Container Type	Size (Fl. Oz.)	Item No.	Pkg. Qty.
Rusty 3000	Aerosol	10.75	1632558	1
Rusty Brake Plate and Caliper Lubricant	Brush Top Can	4	P50155	1

K-44™ Silicone Lubricating Compound

- Durable paste to lube
- Protects rubber parts from drying out
- Dielectric
- Silicone-based formula



Container Type	Size	Item No.	Pkg. Qty.
Brush Top Can	8 Fl. Oz.	P50015	1
Pressurized Can	3 Oz.	KT13610	1

Brake Silencer

Unique formula fills voids and pores in friction material to stop most brake noise at its source without affecting braking efficiency.

- 16 oz. can size; 11.5 oz. net wt.



Item No.	Pkg. Qty.
P51153	1

Brake Noise Elimination Kit

Includes 3 each of the following:

- (3) Kent Rusty 3000 High-Temperature Lubricant (1632558)
- (3) Kent Brake Silencer Lubricant (P51153)
- (3) Kent K-44 Silicone Compound (KT13610)
- (3) Kent Disc Brake Caliper Grease (KT13614)



Item No.	Pkg. Qty.
1451176	1

Adhesive Wheel Weights

All adhesive wheel weights feature an all-weather adhesive tape that can be used confidently no matter the weather conditions. Use Acrysol® and a clean rag to clean any residue from the wheel surface before applying weights.

Adhesive weights are available in 3 different coatings:


- **Polymer Coated** - OEM-quality made to last 10 years
- **Nano Coated** - Premium quality coating tested to last 5+ years
- **Powder Coated** - Economy quality coating tested to last 3+ years

Polymer Coated Adhesive Wheel Weights - OEM Quality - 10 Year Coating

STEEL

Adhesive Wheel Weights – Steel


- 1/4 oz. segments available in strips or roll
- OEM coating
- Each segment is stamped with weight in ounces



Description	Item No.	Pkg. Qty.
3 Oz. Strips; Twelve Segments per Strip; Total Weight: 75 Oz.	KT13482	25
Roll; 1,280 Segments per Roll; Total Weight: 20 Lbs.	KT14908	1

Adhesive Wheel Weights – Steel Adhesive Type Steel – OEM

- 5g segments available in strips or roll
- OEM coating
- Each segment is stamped with weight
- OEM on Toyota



Description	Item No.	Pkg. Qty.
60g Strips; Twelve Segments per Strip; Total Weight: 1,500g	KT14595	25
Roll; 1,500 Segments per Roll; Total Weight: 7.5kg	KT14909	1

Adhesive Wheel Weights – Zinc Standard Profile Type 360 – Polymer-Coated Zinc

- Standard profile
- Original equipment on Audi, Mercedes-Benz, and Land Rover
Universal applications on custom wheels without flanges. These wheel weights are contoured to blend in with the wheel for a more aesthetically pleasing, aerodynamic appearance
- Strips are preperated for fast and easy installation
(Formerly RUZ Type)

Weight (g)	Item No.	Pkg. Qty.
5	1601271	100
10	1601272	100
15	1601273	100
20	1601274	100
25	1601275	100
30	1601276	100
35	1601277	50
40	1601278	50
45	1601279	50
50	1601280	50
55	1601281	50
60	1601282	50



ZINC

Adhesive Wheel Weights – Zinc Low-Profile Type 361 – Polymer-Coated Zinc

- Low-profile
- Original equipment on VW, Volvo and Porsche
- OEM Coating
- Strips are preperated for fast and easy installation
(Formerly CUZ Type)

Weight (g)	Item No.	Pkg. Qty.
5	1601283	100
10	1601284	100
15	1601285	100
20	1601286	100
25	1601287	100
30	1601288	100
35	1601289	50
40	1601290	50
45	1601291	50
50	1601292	50
55	1601293	50
60	1601294	50



Nano Coated Adhesive Wheel Weights - Premium Quality - 5 Year Coating

STEEL

**Adhesive Wheel Weights
Adhesive Type Steel – Low-Profile**

- 1/4 oz. segments, 1/2" wide, available in strips or roll
- Nano coating
- Low profile for imports/sports cars for clearance



Description	Item No.	Pkg. Qty.
3 Oz. Strips; 12 Segments per Strip; 1/4 Oz. Segments; Total Weight: 156 Oz.	KT11029	52
Roll; 1,280 Segments per Roll; Total Weight: 20 Lbs.	KT15098	1
Kit – KT15098 Roll with KA14797 Dispensing Stand	KL217	1

**Adhesive Wheel Weights – Heavy-Duty Vehicles
Heavy-Duty Adhesive Wheel Weights – Nano-Coated**

- 1/2 oz. segments, 1" wide, 12 segments per strip (6 oz. each)
- Nano coating
- Standard Profile for trucks and RVs



Description	Item No.	Pkg. Qty.
Roll; 640 Segments per Roll; Total Weight: 20 Lbs.	1436770	1
6 Oz. Strips; 12 Segments per Strip; 1/2 Oz. Segments; Total Weight: 180 Oz.	KT11030	30

Heavy-Duty Adhesive Wheel Weights – Low-Profile – Nano-Coated

- Low-profile adhesive wheel weights with a full encapsulation nano coating
- Meets OEM specifications
- Maximum corrosion protection lasts up to three times longer than other coatings
- Adhesive weight strips for use on light-, medium- and heavy-duty truck applications



Segment Weight (Oz.)	Strip Weight (Oz.)	Item No.	Pkg. Qty.
0.5	4	1565351	28
	4	1635542	1
1	6	1565352	15

Powder-Coated Adhesive Wheel Weights - Aftermarket Quality - 3 Year Coating

STEEL

Adhesive Wheel Weights – Powder Coated Steel

Low-Profile

- Pre-cut segments, 3/4" wide
- Powder coating for corrosion protection
- Fast, strong adhesive
- Economical alternative to OEM



Color	Segment Weight (Oz.)	Description	Item No.	Pkg. Qty.
Gray	1/4	3 Oz. Strips; Twelve Segments per Strip; Total Weight: 144 Oz. (9 Lbs.)	1436769	48
	1/4	Roll; 704 Segments per Roll; Total Weight: 176 Oz. (11 Lbs.)	1477186	1
Black	1/4	3 Oz. Strips; Twelve Segments per Strip; Total Weight: 144 Oz. (9 Lbs.)	1618647	48
	1/2	Roll; 960 Segments per Roll; Total Weight: 240 Oz. (15 Lbs.)	1632869	1
	1/2	Roll; 480 Segments per Roll; Total Weight: 240 Oz. (15 Lbs.)	1632870	1

STEEL

Heavy-Duty Adhesive Wheel Weights – Powder-Coated

- 1/2 oz. pre-cut segments, 0.787" Width
- 6 oz. per strip, 28 strips per box, 336 segments per box
- Grey powder coating
- Standard profile



Description	Item No.	Pkg. Qty.
6 Oz. Strips; Twelve Segments per Strip; Total Weight: 168 Oz.	1457379	28

ZINC

Type 380 – Coated

Type 380 weights are made of a premium zinc alloy in a special production process. Due to this process the strip is very easily malleable and is easily adjustable to the rim radius.

- 5g segments, 0.75" wide, 12 segments per strip (60g each)
- Total height including adhesive tape: 0.16"
- Colored powder coating for permanent corrosion protection



Description	Color	Item No.	Pkg. Qty.
60g Strips; Twelve – 5g Segments per Strip; Total Weight: 3,000g	Black	1448636	50

Uncoated Adhesive Wheel Weights

Adhesive Wheel Weights

- Twelve segments per strip – 3 oz. strips
- Each 1/4 oz. segment is stamped with the actual weight in ounces and grams

State restrictions may apply.



Description	Strip Width (Inches)	Item No.	Pkg. Qty.
Uncoated	1/2	KT14076	30
	1/2	P55898	60

LEAD

Adhesive Wheel Weights – Heavy-Duty Vehicles Heavy-Duty Adhesive Wheel Weights

- Six segments per strip
- Weight is stamped on each segment
- Not pre-cut

State restrictions may apply.




Strip Width (Inches)	Strip Weight (Oz.)	Increment Size (Oz.)	Item No.	Pkg. Qty.
3/4	6	1	KT14083	30
1-1/4	12	2	KT14084	8

P Type Clip On Wheel Weights

P Type – Polymer-Coated and Uncoated

Designed to fit most passenger car steel wheels. State restrictions may apply.



LEAD

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	1529764*	50	2-1/4	P47455*	50
1/2	1529765*	50	2-1/2	P48255*	50
3/4	1529766*	50	2-3/4	P47460*	50
1	1529767*	50	3	P48260*	50
1-1/4	P44421*	50	3-1/4	KT14056*	25
1-1/2	P48245*	50	3-1/2	KT14057*	25
1-3/4	P44426*	50	3-3/4	KT14058*	25
2	P48250*	50	4	KT14059*	25

*Uncoated



ZINC

Weight (Oz.)	Coating	Item No.	Pkg. Qty.	Weight (Oz.)	Coating	Item No.	Pkg. Qty.
1/4	Polymer	KT14848	25	1/4	Uncoated	KT11014	25
1/2	Polymer	KT14849	25	1/2	Uncoated	KT11015	25
3/4	Polymer	KT14850	25	3/4	Uncoated	KT11016	25
1	Polymer	KT14851	25	1	Uncoated	KT11017	25
1-1/4	Polymer	KT14852	25	1-1/4	Uncoated	KT11018	25
1-1/2	Polymer	KT14853	25	1-1/2	Uncoated	KT11019	25
1-3/4	Polymer	KT14854	25	1-3/4	Uncoated	KT11020	25
2	Polymer	KT14855	25	2	Uncoated	KT11021	25
2-1/4	Polymer	KT14856	25	2-1/4	Uncoated	KT11022	25
2-1/2	Polymer	KT14857	25	2-1/2	Uncoated	KT11023	25
2-3/4	Polymer	KT14858	25	2-3/4	Uncoated	KT11024	25
3	Polymer	KT14859	25	3	Uncoated	KT11025	25



PLASTEEL

Weight (Oz.)	Item No.	Pkg. Qty.
1/4	1580321	25
1/2	1580322	25
3/4	1580323	25
1	1580324	25
1-1/4	1580325	25
1-1/2	1580326	25
1-3/4	1580327	25
2.00	1580328	25

MC Type Clip On Wheel Weights

MC Type – Polymer-Coated

Used on most domestic vehicles equipped with alloy rims. The MC Series is the most sold and installed series wheel weights for alloy rims. Fits many brands like Ford, GM, Chrysler, Dodge, Jeep and RAM.

State restrictions may apply.



LEAD

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	P44682	25	1-3/4	P45092	25
1/2	P44687	25	2	P45103	25
3/4	P44697	25	2-1/4	P45170	25
1	P44736	25	2-1/2	P45190	25
1-1/4	P44747	25	2-3/4	P45202	25
1-1/2	P45043	25	3	P45233	25



ZINC

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	KT14824	25	1-3/4	KT13476	25
1/2	KT13471	25	2	KT13477	25
3/4	KT13472	25	2-1/4	KT13478	25
1	KT13473	25	2-1/2	KT13479	25
1-1/4	KT13474	25	2-3/4	KT13480	25
1-1/2	KT13475	25	3	KT13481	25



PLASTEEL

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	1580285	25	1-3/4	1580291	25
1/2	1580286	25	2	1580292	25
3/4	1580287	25	2-1/4	1580293	25
1	1580288	25	2-1/2	1580294	25
1-1/4	1580289	25	2-3/4	1580295	25
1-1/2	1580290	25	3	1580296	25

FN Type Clip On Wheel Weights

FN Type – Polymer-Coated

Used on most Japanese vehicles equipped with alloy wheels. Fits many brands like Acura, Honda, Infiniti, Lexus, Nissan, Toyota, Subaru and Mazda.

5g Weight is steel.




LEAD

Weight (g)	Item No.	Pkg. Qty.	Weight (g)	Item No.	Pkg. Qty.
5	KT12249	25	27.5	KT14071	25
7.5	KT12250	25	30	P69300	25
10	P69276	25	32.5	KT14072	25
12.5	KT14068	25	35	P69305	25
15	P69280	25	37.5	KT14073	25
17.5	KT14069	25	40	P69310	25
20	P69286	25	45	P69315	25
22.5	KT14070	25	50	P69320	25
25	P69290	25	55	P69325	25
			60	P69331	25



ZINC

Weight (g)	Item No.	Pkg. Qty.	Weight (g)	Item No.	Pkg. Qty.
10	KT14897	25	35	KT14902	25
15	KT14898	25	40	KT14903	25
20	KT14899	25	45	KT14904	25
25	KT14900	25	50	KT14905	25
30	KT14901	25	55	KT14906	25
			60	KT14907	25



PLASTEEL


Weight (g)	Item No.	Pkg. Qty.	Weight (g)	Item No.	Pkg. Qty.
5	1580273	25	35	1580279	25
10	1580274	25	40	1580280	25
15	1580275	25	45	1580281	25
20	1580276	25	50	1580282	25
25	1580277	25	55	1580283	25
30	1580278	25	60	1580284	25

IAW Type Clip On Wheel Weights

IAW Type – Polymer-Coated

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels. Fits many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen, Volvo, Land Rover and Hyundai.

State restrictions may apply.



LEAD

Weight (g)	Item No.	Pkg. Qty.	Weight (g)	Item No.	Pkg. Qty.
5	1533083	25	35	P38666	25
10	P33456	25	40	P33486	25
15	P33461	25	45	P33491	25
20	P33467	25	50	P33497	25
25	P33471	25	55	P33501	25
30	P33481	25	60	P33506	25



ZINC

Weight (g)	Item No.	Pkg. Qty.	Weight (g)	Item No.	Pkg. Qty.
5	KT14884	25	35	KT14890	25
10	KT14885	25	40	KT14891	25
15	KT14886	25	45	KT14892	25
20	KT14887	25	50	KT14893	25
25	KT14888	25	55	KT14894	25
30	KT14889	25	60	KT14895	25



PLASTEEL

Weight (g)	Item No.	Pkg. Qty.	Weight (g)	Item No.	Pkg. Qty.
5	1580261	25	35	1580267	25
10	1580262	25	40	1580268	25
15	1580263	25	45	1580269	25
20	1580264	25	50	1580270	25
25	1580265	25	55	1580271	25
30	1580266	25	60	1580272	25

T Type Clip On Wheel Weights

T Type – Polymer-Coated

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels. Fits steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims.

State restrictions may apply.




LEAD

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	KT12248	25	1-3/4	P33402	25
1/2	P33373	25	2	P33407	25
3/4	P33377	25	2-1/4	P33414	25
1	P33383	25	2-1/2	P33417	25
1-1/4	P33387	25	2-3/4	P33427	25
1-1/2	P33394	25	3	P33437	25



ZINC

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	KT14812	25	1-3/4	KT14866	25
1/2	KT14861	25	2	KT14867	25
3/4	KT14862	25	2-1/4	KT14868	25
1	KT14863	25	2-1/2	KT14869	25
1-1/4	KT14864	25	2-3/4	KT14870	25
1-1/2	KT14865	25	3	KT14871	25



PLASTEEL

Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	1580297	25	1-3/4	1580303	25
1/2	1580298	25	2.00	1580304	25
3/4	1580299	25	2-1/4	1580305	25
1	1580300	25	2-1/2	1580306	25
1-1/4	1580301	25	2-3/4	1580307	25
1-1/2	1580302	25	3	1580308	25

AW Type Clip On Wheel Weights


AW Type – Polymer-Coated

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995. Fits many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Lexus, Oldsmobile and Pontiac.

State restrictions may apply.

LEAD

Weight (Oz.)	Item No.	Pkg. Qty.
1/4	P44502	25
1/2	P44534	25
3/4	P44538	25
1	P44543	25
1-1/4	P44562	25
1-1/2	P44567	25
1-3/4	P44607	25
2	P44613	25
2-1/4	P44633	25
2-1/2	P44638	25
2-3/4	P44667	25
3	P44677	25



ZINC

Weight (Oz.)	Item No.	Pkg. Qty.
1/4	KT15022	25
1/2	KT15023	25
3/4	KT15024	25
1	KT15025	25
1-1/4	KT15026	25
1-1/2	KT15027	25
1-3/4	KT15028	25
2	KT15029	25
2-1/4	KT15030	25
2-1/2	KT15031	25
2-3/4	KT15032	25
3	KT15033	25



LH Type Clip On Wheel Weights

LH Type – Polymer-Coated

Used on Chrysler vehicles, designed to fit their unique alloy rim flange. Fits 2009 and earlier Chrysler models and some Dodge and Ram models.

ZINC



Weight (Oz.)	Item No.	Pkg. Qty.	Weight (Oz.)	Item No.	Pkg. Qty.
1/4	P23193	25	1-3/4	P39272	25
1/2	P23198	25	2	P39276	25
3/4	P23202	25	2-1/4	KT14064	25
1	P23207	25	2-1/2	KT14065	25
1-1/4	P23212	25	2-3/4	KT14066	25
1-1/2	P39239	25	3	KT14067	25

EN Type Clip On Wheel Weights

EN Type – Polymer-Coated

Polymer-coated to prevent wheel damage caused by corrosion. State restrictions may apply.

ZINC



Weight (g)	Item No.	Pkg. Qty.
10	KT15034	25
15	KT15035	25
20	KT15036	25
25	KT15037	25
30	KT15038	25
35	KT15039	25
40	KT15040	25
45	KT15041	25

Tools and Accessories

Wheel Weight Pliers

- Plastic-coated handles provide a better grip
- Used to remove old weights and install new ones



Description	Item No.	Pkg. Qty.
Wheel Weight Pliers	KT11753	1

Clip Claw Horn Alloy Wheel Weight Hammer

- Hardened steel clip claw head quickly and easily removes old weights
- Soft acetate head will not damage coated weights during installation
- Used to install coated vehicle wheel weights



Item No.	Pkg. Qty.
KT11756	1

Adhesive Wheel Weight Removal Tool

- A flexible, easy-to-use removal tool for adhesive wheel weights
- Heavy-duty plastic design



Item No.	Pkg. Qty.
KT14754	1

Alloy Wheel Weight Hammer

- The plastic tip protects the wheel and the coating of the weight when installing alloy balancing weights
- The clip claw is designed for easy removal of weights
- Specifically designed to install alloy weights



Description	Item No.	Pkg. Qty.
Alloy Wheel Weight Hammer	KT11754	1
Replacement Soft Heads	KT11755	2

Wheel Weight Dispensing Stands

- 2-piece stand designed to dispense adhesive-type wheel weights on rolls

NOTE: Stand does not include wheel weights.



Description	Item No.	Pkg. Qty.
Wheel Weight Dispensing Stand with Single Roll Dispensing Head	KA14797	1
Wheel Weight Dispensing Stand with 2-Roll Dispensing Head	KA12707	1

Clip On Wheel Weights

Clip on wheel weights are the original standard for applying weights. Simply hammer on the appropriate weight and the wheel is good to go.

Clip on weights are available in 3 different materials:

- **Polymer coated lead** - An OEM-quality product featuring a 10 year polymer coating
(Restrictions may apply)
- **Polymer coated zinc** - OEM-quality alternative to lead
- **Plasteel** - A new, hybrid product that utilizes a steel core with a plastic outer shell for scratch-free installation and exceptional corrosion resistance

Kent Complete Wheel Weight Assortment

Kent Complete – Wheel Weight Assortments

Assortments ensure the weights you need are organized and available when you need them. Kent's reliable inventory management services ensure your parts department will run more efficiently.

- Kent Complete assortments come with all 6 lead or zinc series along with 2 bins, 2 stands, and labels
- Starter Assortments come with one series of weights along with 1 bin, 1 stand, and labels
- All series come with 12 sizes (.25 Oz. – 3 Oz. and 5g – 60g)
- Standard package quantity

Material	Series	No. of Items	No. of Pieces	Item No.	Pkg. Qty.
Lead	AW, FN, IAW, MC, P, TN	72	2,100	CT011100	1
	AW	12	300	CT011123	1
	FN	12	300	CT011121	1
	IAW	12	300	CT011125	1
	MC	12	300	CT011126	1
	P	12	600	CT011122*	1
Zinc	AW, FN, IAW, MC, P, TN	71	1,775	CT021100	1
	AW	12	300	CT021123	1
	FN	11	275	CT021121***	1
	IAW	12	300	CT021125	1
	MC	12	300	CT021126**	1
	P	12	300	CT021122	1
Plasteel	AW, FN, IAW, MC, P, TN	71	1,775	CT021100	1
	AW	12	300	CT021123	1
	FN	11	275	CT021121***	1
	IAW	12	300	CT021125	1
	MC	12	300	CT021126**	1
	P	12	300	CT021122	1
Plasteel	AW, FN, IAW, MC, P, TN	56	1,400	CT131100	1
	FN	12	300	CT131121	1
	IAW	12	300	CT131125	1
	MC	12	300	CT131126	1
	P	8	200	CT131122	1
	T	12	300	CT131127	1

*Uncoated

**5g weight is steel

***Does not include 5g weight

